TO ALL TO WHOM THESE PRESENTS SHALL COME: Pioneer Gi-Bred International, Inc.

Celhereus, there has been presented to the

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED NOVEL VARIETY OF SEXUALLY REPRODUCED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLI-CANT(S) FOR THE TERM OF eighteen YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND TERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EX-CLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, R IMPORTING IT, OR EXPORTING IT, OR USING TO IN PRODUCING A HYBRID OR DIFFERENT LIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT AT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

SOYBEAN

94421

In Lestimony Wathereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D. C. 30th day of the year of our Lord one thousand nine hundred and eighty-eight.

Riland E. Lyng Secretary of Agriculture

 $M = X \times M = X \times M$

Plant Variety Protection Office

ral Marketing Servic

U.S. DEPARTMENT	FORM APPROVED: OMB NO, 0581-0055			
APPLICATION FOR PLANT VARI	if a pl	cation is required in order to determine ant variety protection certificate is to ued (7 U.S.C. 2421). Information is		
	s on reverse)			confidential until certificate is issued S.C. 2426).
1, NAME OF APPLICANT(S)	· · · · · · · · · · · · · · · · · · ·	2. TEMPORARY DESIGNATION	3. V/	ARIETY NAME
Pioneer Hi-Bred International	, Inc.		(9442
4. ADDRESS (Street and No. or R.F.D. No., City, Sta 700 Capital Square	te, and Zip Code)	5. PHONE (Include area code)	PVPO	FOR OFFICIAL USE ONLY
400 Locust Street		319/234-0335		
Des Moines, IA 50309	·			8700105
6. GENUS AND SPECIES NAME Glycine Max	7. FAMILY NA		Ş	March 31,1987_
diyeme max	Legumin	usae	FILING	TIME 9:30 MA.M. P.M.
8. KIND NAME	<u> </u>	DATE OF DETERMINATION	\vdash	AMOUNT FOR FILING
Soybean		September, 1982	8	s 1800
Soybean		January, 1985	RECEIVED	March 31, 1987
10. IF THE APPLICANT NAMED IS NOT A "PERSO	N," GIVE FORM	OF ORGANIZATION (Corporation,		AMOUNT FOR CERTIFICATE
partnership, association, etc.)			EES	\$200
Corporation		"	May 12,1988	
11. IF INCORPORATED, GIVE STATE OF INCORPORT	PRATION		4	DATE OF (HOORFORATION
13. NAME AND ADDRESS OF APPLICANT REPRES	SENTATIVE(S), I	F ANY, TO SERVE IN THIS APPLIC		
Clark W. Jennings		Mary Helen Mitche		(Copy)
3261 West Airline Hwy Waterloo, IA 50703-9610				400 Locust Street
water 100, 1A 50703-9010		Des Moines IA	a code,) ?
14. CHECK APPROPRIATE BOX FOR EACH ATTAC a. Exhibit A, Origin and Breeding History of			tection	a Act.)
b. X Exhibit B, Novelty Statement.	the variety (bee	geoson y g of mo 1 mars valuely and		
c. Exhibit C, Objective Description of Variety		from Plant Variety Protection Offic	ce.)	
d. Exhibit D, Additional Description of Vari	· ·			•
15. DOES THE APPLICANT(S) SPECIFY THAT SEE	D OF THIS VARI		ONL	
SEED? (See Section 83(a) of the Plant Variety Pro	······	Yes (If "Yes," answer and answer		<u> </u>
16. DOES THE APPLICANT(S) SPECIFY THAT THIS LIMITED AS TO NUMBER OF GENERATIONS?	S VARIETY BE	BEYOND BREEDER SEE		
Yes No		Foundation		egistered Certified
18. DID THE APPLICANT(S) PREVIOUSLY FILE	FOR PROTECTI	ON OF THE VARIETY IN THE U	.S.r	Yes (If "Yes," give date)
				[X] No
19. HAS THE VARIETY BEEN RELEASED, OFFER	RED FOR SALE,	OR MARKETED IN THE U.S. OR	OTHE	
·				Yes (If "Yes," give name of countries and dates)
				X No
20. The applicant(s) declare(s) that a viable samp	ole of basic seed	s of this variety will be furnished	with	
plenished upon request in accordance with su	ich regulations :	as may be applicable.		
The undersigned applicant(s) is (are) the own distinct, uniform, and stable as required in So Variety Protection Act.	ection 41, and is	s entitled to protection under the	e provi	isions of Section 42 of the Plant
Applicant(s) is (are) informed that false repre	esentation herei	n can jeopardize protection and	resuit	in penalties.
SIGNATURE OF APPLICANT			ع	ATE O
Clark Kennings	·			March 19, 1987
SIGNATURE OF APPLICANT	· ··· · · · · · · · · · · · · · · · ·			ATE
-			1	\tilde{I}

Attachment: 9442 Soybean (March, 1987)

Exhibit A: Variety 9442 was developed from a cross of 9441 X A3127. It is an F4-derived selection which was advanced to the F4 generation by modified single-seed descent. The F5 progeny was first yield tested in Illinois in the summer of 1982. Overall, 9442 has undergone five years of extensive testing and purification and has been observed by the breeder to be uniform and stable for all plant traits from generation to generation, with no evidence of variants.

Seed hila of variety 9442 are light black in color, and under certain environmental conditions may appear imperfect black or gray in color. When seeds of these types are grown, they produce plants having seed with light black hila color.

Five acres of **9442** (breeders seed) were grown in 1985. 100 acres of parent seedstock (foundation seed equivalent) were grown in 1986.

- Exhibit B: Variety **9442** is most similar to variety **9441**. However, flowers of **9442** are purple whereas flowers of **9441** are white.
- Exhibit E: Pioneer Hi-Bred International, Inc. is the sole, original, and first breeder of soybean variety 9442, for which it solicits a certificate of protection.

Amendment: 9442 Soybean (April, 1988)

Exhibit B (Amendment):

Variety 9442 is most similar to variety 9441. However, flowers of 9442 are purple, whereas flowers of 9441 are white.

Variety 9442 is also similar to varieties RNB410, S42-30, Lawrence, and HT4203. However, 9442 is significantly later maturing than varieties RNB410, S42-30, and Lawrence by 7, 9, and 6 days respectively; it is significantly earlier maturing than variety HT4203 by 10 days (see ABSMAT trait in Tables 1, 2, 3, and 4). (Note: Variety 'HT4203' is incorrectly identified as 'HT2403' in tables.

Table 1. Individual Observations of Agronomic Traits

OBS	. VAR	REP	LDG	HGT	NP	ABSMAT	INODE	LL	TM	HIW
1	HIT2403	1	8	56	21 24	148	2.66667	4.1	2.1	1.3
12345 7	HIT2403 HIT2403 HIT2403	1 2 3 4 5 6 7	8 7 8 7 8 7 7	56 54 56 57 58 57 55 48	24 26	148 147 147 146 147 148 147	2.25000 2.15385	4.1 3.6 3.8 3.7	19011102455555545133454401101102 21222222222222222222222222222	1.3 1.2 1.2 1.3 1.2 1.3
4	HT2403 HT2403	4	7	<u>56</u>	25 27	146 147	2.24000 2.11111	3.7 4.0	$\frac{2.1}{2.1}$	1.2 1.3
6	HT2403	ğ	8	<u> 58</u>	26	148	2.23077 2.19231	3.8	$\frac{2.1}{0}$	1.2
8_	HIT2403	<u> </u>		57 55	26 25 27 26 25 21 20 22 23 23 23 21 19 18 20 21 21 21 21 21 21 21		2.20000	4.0 3.8 4.0 4.2 4.3 4.4 4.4 4.4	2.2	1.3
9 10	LAWR LAWR	1 2	8878888888888888877	48 49	21 20	132 131 130 132 131 131 131 132 138 137 135 137 135 137 136 137	2.28571 2.45000	4.3	2.5	
11	LAWR LAWR	234567	7	5 <u>1</u>	22	130 132	2.31818 2.22727	4.5	2.5 2.5	1.5
13	LAWR LAWR	5	8	ξÓ	23	131	2.17391 2.17391	4.4	2.5	1.5
15	LAWR		8	46 46	23	131	2.00000	4.3	2.5	1.4 1.5 1.4 1.4 1.4
$\frac{16}{17}$	LAWR P9442	<u>8</u> 1	<u>8</u> 8	49 549 500 548 465 445 445 444 444	<u>21</u> 19	132 138	2.28571 2.42105	4.4	2.5	1.5
18	DQ///2	234567	8	45 44	18 20	137 135	2.50000 2.20000	4.3 4.1 4.4 4.5 4.5 4.3 4.7	$\frac{2.1}{2.3}$	1.5 1.4 1.4 1.4 1.5 1.5
20	P9442 P9442 P9442 P9442 P9442 P9442	4	8	45	<u>21</u>	137	2.14286 2.14286	4.4	2.3	$\frac{1.4}{1.4}$
22	P9442 P9442	5 6	8	45	21	136	2.09524	4.5	2.5	1.5
23 24	P9442	7 8	8 8	44 44	21 22	137 137	2.09524 2.00000	4.7	2.4	
25 26	RNB410 RNB410	1	8 8	44 44 45 45 46 45 45	17 19	131 130	2.52941 2.31579	4.0 4.2	$\frac{2.0}{2.1}$	1.2 1.3 1.3 1.3 1.3
27	RNB410 RNB410	234567	ğ	45	<u>2</u> 2	130 130 130 130 130 129 130	2.31579 2.04545 2.04545	4.2	$\frac{2.1}{2.0}$	$\frac{1.3}{1.2}$
29 29	RNB410	5	<u>7</u>	46	22	130	2.09091 2.04545	4.3	$\frac{2.1}{1}$	1.3
30 31	RNB410 RNB410	6 7	7	45 45	22 21	129 130	2.14286	4.3	2:0	1.3
32	RNB410 S4230	8	8	44	19 22 22 22 22 21 21 22	130 129	2.00000 2.52941	$\frac{4.2}{4.2}$	$\frac{2.2}{2.2}$	
34	\$4230 \$4230	2	8	46	19 18	129 129 128 128 128	2.52941 2.42105 2.27778 2.44444 2.20000	4.0	$\frac{2.1}{2.3}$	1.4 1.3 1.4 1.3 1.4
36	\$4230 \$4230 \$4230	4	8	44	18	128	2.44444	4.2	2.2	1.3
37 38	S4230	6	888888888	44 46 41 44 44 43 43 43	20 18	128	2.38889	4.0 4.2 4.3 3.3 2.2 4.0 3.2 4.0 3.2 4.3 4.3	2.1 2.1 2.3 2.3 2.3 2.3 2.3 2.3 2.3	1.4
8 90112 31456 1112 1156 111212222222222233333333333340	\$4230 \$4230	12345678	8	43 43	19 18 18 20 18 18	128 129 129 129	2.38889 2.38889	4.2	2.3	1.4 1.4

Table 2. Agronomic Traits Means

ACROMONIC TRAITS MEANS

VARIETY (VAR) - DAYS TO MATURITY (ABSMAT) - NODES/PLANT (NP)

HEIGHT in. (HGT) - LODGING (LDG) - INTERNODE LENGTH in. (INODE)

LEAF MEASUREMENTS in. LENGTH (LL) WIDTH (LW) and HEIGHT TO THE WIDEST PART OF THE LEAF (HIW)

	VAR	ABSWAT	NP	HGT	LDG	INODE	ഥ	LW	HIW
HT 1/203	∠HT2403	147 *	25 *	56 *	7.5 *	2.3	3.9 *	2.1 *	1.2 *
12/5	LAWR	131 *	22 *	49 *	7.9	2.2	4.4	2.5 *	1.4
1	P9442	137	20	45	8.0	2.2	4.4	2.4	1.5
•	RNB410	130 *	21	45	7.6	2.2	4.2 *	2.1 *	1.3 *
	S4230	128 *	18 *	43 *	8.0	2.4 *	4.2 *	2.3 *	1.4 *

* Traits that are significantly different from variety '9442' by linear contrasts.

Table 3. Trait Analysis - Class Level Information

TRAIT ANALYSIS

GENERAL LINEAR MODELS PROCEDURE

CLASS LEVEL INFORMATION

CLASS LEVELS VALUES

REP 8 1 2 3 4 5 6 7 8

VAR 5 HE2403 LAWR P9442 RNB410 S4230 / 1474263

NUMBER OF OBSERVATIONS IN DATA SET = 40

Table 4. Trait Analysis for Agronomic Trait ABSMAT

TRAIT ANALYSIS GENERAL LINEAR MODELS PROCEDURE

DEPENDENT VARIABLE: ABSWAT	SOURCE	MODEL	ERROR	CORRECTED TOTAL	SOURCE	REP VAR	CONTRAST 9442 vs HT2403 /ff 41.03 9442 vs LANR 9442 vs RNB410
ABSWAT	DF	П	28	39	DF	∠4	4203 DF
	SUM OF SQUARES	1862.75000000	10.3500000	1873,10000000	TYPE I SS	9.90000000	SS 451.56250000 110.2500000 169.0000000 264.06250000
	MEAN SQUARE	169,34090909	0.36964286		F VALUE	3.83 1253.14	F VALLIE 1221.62 298.26 457.20 714.37
	XIARE	60606	4286		PR > F	0.0049	# 00000 < 00000 1100000 H 111111
	F VALUE	458,12			뎐	77	
	PR V	0,0001	ROOT MSF	0.60798261	TYPE III SS	9.9000000	
	R-SOTINBE	0.994474		13.	F VALIE	3.83	
	٥.	, 17, C	ARSWAT MEAN	134.65000000	£	0.0049	

EXHIBIT C (Soybean)

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
LIVESTOCK, MEAT, GRAIN & SEED DIVISION
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MARYLAND 20705

OBJECTIVE DESCRIPTION OF VARIETY SOYBEAN (Glycine max L.)

	The state of the s		
NAME OF APPLICANT(S)	TEMPORARY DESIGNATION	VARIETY NAME	
Pioneer Hi-Bred International, Inc.		9442	
ADDRESS (Street and No., or R.F.D. No., City, State, and Zip Coo 700 Capital Square	le)	FOR OFFICIAL	USE ONLY
400 Locust Street Des Moines, IA 50309		8700	105
Choose the appropriate response which characterizes the va- in your answer is fewer than the number of boxes provided,	riety in the features described place a zero in the first box w	below. When the number hen number is 9 or less (e	of significant digits e.g., 0 9).
1. SEED SHAPE:	0		
2 1 1	T		
1 = Spherical (L/W, L/T, and T/W ratios = < 1.2) 3 = Elongate (L/T ratio > 1.2; T/W = < 1.2)	2 = Spherical Flattened 4 = Elongate Flattened ((L/W ratio > 1.2; L/T ratio = L/T ratio > 1.2; T/W > 1.2	(1.2)
2. SEED COAT COLOR: (Mature Seed)			
1 = Yellow 2 = Green 3 = Brown	4 = Black 5 = Other	(Specify)	
3. SEED COAT LUSTER: (Mature Hand Shelled Seed)			
2 1 = Duil ('Corsoy 79'; 'Braxton') 2 = Shiny ('Nebso	oy'; 'Gasoy 17')		
4. SEED SIZE: (Mature Seed)			
1 4 Grams per 100 seeds			
5. HILUM COLOR: (Mature Seed)			
6 1 = Buff 2 = Yellow 3 = Brown	4 = Gray 5 = Imperfect Bla	ck 6 = Black 7	= Other (Specify)
6. COTYLEDON COLOR: (Mature Seed)			
1 = Yellow 2 = Green			
7. SEED PROTEIN PEROXIDASE ACTIVITY:			
1 = Low 2 = High			
8. SEED PROTEIN ELECTROPHORETIC BAND:			
1 = Type A (SP1 ^a) 2 = Type B (SP1 ^b)			
9. HYPOCOTYL COLOR:			
1 = Green only ('Evans'; 'Davis') 2 = Green with 3 = Light Purple below cotyledons ('Beeson'; 'Pickett 71') 4 = Dark Purple extending to unifoliate leaves ('Hodgson';	n bronze band below cotyledons (" Coker Hampton 266A")	Woodworth'; 'Tracy')	
10. LEAFLET SHAPE:			
127	4.00 (0.31)		
2 1 = Lanceolate 2 = Oval 3 = Ovate	4 = Other (Specify)		

FORM LMGS-470-57 (2-82)

11. LEAFLET SIZE:	
1 = Small ('Amsoy 71'; 'A5312') 3 = Large ('Crawford'; 'Tracy')	2 = Medium ('Corsoy 79'; 'Gasoy 17')
12. LEAF COLOR:	
1 = Light Green ('Weber'; 'York') 3 = Dark Green ('Gnome'; 'Tracy')	2 = Medium Green ('Corsoy 79'; 'Braxton')
13. FLOWER COLOR:	
2 = Purple 3 =	White with purple throat
14. POD COLOR:	
1 = Tan 2 = Brown 3 = Bia	ock
15. PLANT PUBESCENCE COLOR:	
2 1 = Gray 2 = Brown (Tawny)	
16. PLANT TYPES:	
2 1 = Slender ('Essex'; 'Amsoy 71') 3 = Bushy ('Gnome'; 'Govan')	2 = Intermediate ('Amcor'; 'Braxton')
17. PLANT HABIT:	
3 = Determinate ('Gnome'; 'Braxton') 3 = Indeterminate ('Nebsoy'; 'Improved Pelican')	2 = Semi-Determinate ('Will')
18. MATURITY GROUP:	var a parametra de la composición de la
1 01 / 1	3 = I 5 = II 6 = III 7 = IV 8 = V 12 = IX 13 = X
19. DISEASE REACTION: (Enter 0 = Not Tested; 1 = Susceptible	le; 2 = Resistant)
BACTERIAL DISEASES:	
Bacterial Pustule (Xanthomonas phaseoli var. sojensi	57
Bacterial Bright (rseducinonas grycinea)	
0 Wildfire (Pseudomonas tabaci)	
FUNGAL DISEASES:	
Brown Spot (Septoria glycines)	
Frogeye Leaf Spot (Cercospora sojina)	
0 Race 1 0 Race 2 0 Race 3	0 Race 4 0 Race 5 Other (Specify)
Target Spot (Corynespora cassiicola)	OILIPILES -
	Draw
Downy Mildew (Peronospora trifoliorum var. mansfyu	NECEIVED V
Downy Mildew (Peronospora trifoliorum var. manshu Powdery Mildew (Microsphaera diffusa)	T USDA AMS
Powdery Mildew (Microsphaera diffusa)	MAR 2 4 1002
O Powdery Mildew (Microsphaera diffusa) O Brown Stem Rot (Cephalosporium gregatum) O Stem Canker (Diaporthe phaseolorum var. caulivo al	MAR 2 4 1987

40 DISCASE DE A			0/00103
19. DISEASE REACT	ION: (Enter 0 = Not Tested; 1 = Susceptible; 2	≈ Resistant) (Continued)	
FUNGAL DISE	ASES: (Continued)		
O Pod and	Stem Blight (Diaporthe phaseolorum var; sojae)		
0 Purple Se	ed Stain (Cercospora kikuchii)		
0 Rhizocto	nia Root Rot (Rhizoctonia solani)		
Phytophti	hora Rot (Phytophthora megasperma var. sojae)		
0 Race 1	0 Race 2 0 Race 3 0	Race 4 0 Race	5 0 Race 6 0 Race 7
0 Race 8	0 Race 9 0 Other (Specify)		
VIRAL DISEASI	ES:		
0 Bud Blight	t (Tobacco Ringspot Virus)		
	osaic (Bean Yellow Mosaic Virus)		
	osaic (Cowpea Chlorotic Virus)		
	(Bean Pod Mottle Virus)		
	e (Soybean Mosaic Virus)		
NEMATODE DIS			
	yst Nematode (Heterodera glycines)		
0 Race 1] [
	U Race 2 U Race 3 U	Race 4 U Other	(Specify)
	atode (Hoplolaimus Colombus)		
	oot Knot Nematode (Meloidogyne incognita)		
<u></u>	oot Knot Nematode (Meloidogyne Hapla)	Land All Carlotter	
0 Peanut Room	t Knot Nematode (Meloidogyne arenaria)		
0 Reniform No	ematode (Rotylenchulus reniformis)		
OTHER DIS	EASE NOT ON FORM (Specify):	· · · · · · · · · · · · · · · · · · ·	
		 	
	ESPONSES: (Enter 0 = Not Tested; 1 = Suscep	tible; 2 = Resistant)	
Iron Chloros	is on Calcareous Soil		
Other (Special	fy)		
. INSECT REACTION:	(Enter 0 = Not Tested; 1 = Susceptible; 2 = Re	sistant)	
0 Mexican Bear	Beetle (Epilachna varivestis)		
O Potato Leaf F	lopper (Empoasca fabae)		
	y)		
INDICATE WHICH VA	ARIETY MOST CLOSELY RESEMBLES THAT	SUBMITTED.	
CHARACTER	NAME OF VARIETY	CHARACTER	NAME OF VARIETY
Plant Shape	9441	Seed Coat Luster	3981
Leaf Shape	9441	Seed Size	9441
Leaf Color	9441	Seed Shape	9441
Leaf Size	9441	Seedling Pigmentation	9441
	And the second s		9

23. GIVE DATA FOR SUBMITTED AND SIMILAR STANDARD VARIETY: Paired Comparison Data

VARIETY	NO. OF DAYS	PLANT LODGING	CM PLANT	LEAFL	ET SIZE	SEED CON	TENT SEED SIZE		NO. SEEDS/
	MATURITY	SCORE	HEIGHT	CM Width	CM Length	% Protein	% Oil	SEEDS	POD
9442 Submitted	126	1.7	97	<u>-</u>	-	· <u>-</u>	4).	13.7	
9441 Name of Similar Variety	125	1.8	102		_	_	_	13.7	-

PUBLICATIONS USEFUL AS REFERENCE AIDS FOR COMPLETING THIS FORM:

- 1. Caldwell, B.E., ed. 1973. Soybeans: Improvement, Production, and Uses. Amer. Soc. Agron. Monograph No. 16.
- 2. Buttery, B.R. and R.I. Buzzell. 1968. Peroxidase activity in seeds of soybean varieties. Crop Sci., 8: 722-725.
- 3. Hymowitz, T. 1973. Electrophoretic analysis of SBTI-A2 in the USDA soybean germplasm collection. Crop Sci., 13: 420-421.
- 4. Payne, R.C. and L.F. Morris. 1976. Differentiation of soybean cultivars by seedling pigmentation patterns. J. Seed Technol. 1: 1-19.

